

For queries contact Medicines Optimisation in Care Homes teams via:

BaNES: BSWCCG.banes.moch@nhs.net

Swindon: BSWCCG.swindon.moch@nhs.net

Wiltshire: BSWCCG.wiltshire.moch@nhs.net

MEDICATION FRIDGE MONITORING FORM

| | | | |
|-------------------------|--------------|--------------------------------|--|
| Care Home Name: | | | |
| Fridge Location: | | Date cleaned: | |
| Month: | Year: | Date freezer defrosted: | |

Read - Record - Reset

| Date | Time | CURRENT temp | MINIMUM temp | MAXIMUM temp | Reset Thermometer | Staff Initials | Action Taken (if anything out of range) |
|------|------|--------------|--------------|--------------|-------------------|----------------|---|
| 1st | | | | | | | |
| 2nd | | | | | | | |
| 3rd | | | | | | | |
| 4th | | | | | | | |
| 5th | | | | | | | |
| 6th | | | | | | | |
| 7th | | | | | | | |
| 8th | | | | | | | |
| 9th | | | | | | | |
| 10th | | | | | | | |
| 11th | | | | | | | |
| 12th | | | | | | | |
| 13th | | | | | | | |
| 14th | | | | | | | |
| 15th | | | | | | | |
| 16th | | | | | | | |
| 17th | | | | | | | |
| 18th | | | | | | | |
| 19th | | | | | | | |
| 20th | | | | | | | |
| 21st | | | | | | | |
| 22nd | | | | | | | |
| 23rd | | | | | | | |
| 24th | | | | | | | |
| 25th | | | | | | | |
| 26th | | | | | | | |
| 27th | | | | | | | |
| 28th | | | | | | | |
| 29th | | | | | | | |
| 30th | | | | | | | |
| 31st | | | | | | | |

The temperature should be between +2°C and +8°C. Check each working day. If the temperature is outside this range, take action as detailed in your internal policy and record this on the monitoring form.